	Application No.	Applicant(s)
Notice of Allowability	09/927,780 Examiner	DEHANDSCHUTTER, WOUTER Art Unit
•		
	Stephen M. D'Agosta	2683
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. This communication is responsive to <u>amendment filed 1-26</u>	<u>6-05</u> .	
2. The allowed claim(s) is/are <u>1-16</u> .		
3. \boxtimes The drawings filed on <u>26 January 2005</u> are accepted by the	e Examiner.	
 4. ☐ Acknowledgment is made of a claim for foreign priority ur a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
6. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.	
(a) I including changes required by the Notice of Draftspers	son's Patent Drawing Review (PTO-	.948) attached
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the C	Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t		
7. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL I FOR THE DEPOSIT OF BIOLOGIC	nust be submitted. Note the AL MATERIAL.
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal F	Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	Paper No./Mail Da 98), 7. Examiner's Amendr	te ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9. Other	
·		

Application/Control Number: 09/927,780

Art Unit: 2683

DETAILED ACTION

Response to Arguments

The applicant's amendment filed 1-26-05 overcomes the examiner's objections and rejections. **Hence claims 1-16 are allowed.**

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance:

- 1. As stated in the Non-final Office Action, the primary examiner believes the claims to be novel in his opinion based on their highly detailed designs. Specifically the primary examiner listed the following as prior art:
 - Dal Farra et al. US 6,1 78,162
 - Hagiwara US 4,852,161
 - Haneda et al. US 5,539,731
 - Romesburg et al. US 6,173,056
 - Boudy et al. US 5,848,151
 - Mccaslin et al. US 5,668,794
 - Armbruster US 5,644,635
 - Flanagan et al. US 6,09,083
 - Hemkumar et al. US 6,212,273
 - Ford US 5,016,271

Having performed an exhaustive search, the primary examiner was unable to find prior art (or a combination of prior art) that read on the applicant's claims. Specifically, the

Application/Control Number: 09/927,780

Art Unit: 2683

examiner believes the novelty to be the detailed design that comprises an adaptive control module determining:

Page 3

- a reference signal weight for the weighted sum WHICH IS proportional to the far signal reference and an estimate of the norm of an echo canceller error vector AND inversely proportional to an estimate of a residue of the echo canceller AND uses a non-linear normalized convergence term in the Normalized Least Mean Square (NLMS) algorithm.
- The examiner notes that this improvement relates to the applicant's equations as described on page 7, L27 to page 8, L19. These equations (and inherent output calculations) were not disclosed in prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number:

Art Unit: 2683

Conclusion

Page 4

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen M. D'Agosta whose telephone number is 571-272-7862. The examiner can normally be reached on M-F, 8am to 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bill Trost can be reached on 571-272-7872. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Stephen D'Agosta PRIMARY EXAMINER 4-22-2005

